


ABOUT NETIS

SYSTEMS CO., LTD.

Founded in 2016, Netis Systems Co., Ltd is a global leading provider of networking products and solutions in the data communication industry with advanced technology, outstanding product quality and satisfactory customer service.

Netis company is experienced, professional in the R&D, Production and Sales of networking devices. Now it has three worldwide independent brands "netis", "netcore" and "stonet". Product lines of Netis company includes Wireless routers, Access point wireless adapters, Dump switches, POE switches, Industrial switches, OLT, ONT PON etc., and it is developing some new products that are related to IOT, CCTV to create more benefits for the market and the society.



MANUFACTURING CENTER

- National communications and intelligent hardware production base.
- National intelligent manufacturing demonstration base.



netis® | stonet

NETIS SYSTEMS CO.,LTD

Address: 1F Factory Building, No.6 tongjiu road, Pingxiang Economic and Technological Development District, Pingxiang, Jiangxi, China.

Homepage: www.netis-systems.com
www.stonet.cc



Netis Systems



www.netis-systems.com

WiFi



netis® | stonet

PRODUCT CATALOG

2024

AX3000

Wireless Dual Band
WiFi6 Router

—
NX31



EASY NETWORK, TRUSTABLE


| WiFi ROUTER | 4G/5G | Switch | Network Adapter | xPON ONT/OLT |

BRAND NEW

WIFI MANAGEMENT

APP

BeeWiFi | You can remotely manage your router through the BeeWiFi application



SCAN HERE TO GET



Google Play



App Store for IOS



Photo	Model Name	Description	Main Feature
AC1200 Gigabit Router			
	N2	Dual Band Gigabit Router	1200Mbps 11AC, 1* GE WAN, 3* GE LAN Port WPS & Default Button, 4* 5dBi Antenna, Support Mesh, TR069 & Fota
	WF2780	Dual Band Gigabit Router	1200Mbps 11AC, 1* GE WAN, 4* GE LAN Port WPS & Default Button, 4* 5dBi Antenna, Based on OpenWRT, Support Mesh, TR069 & Fota
	N3F	Dual Band Gigabit Router	1200Mbps 11AC, 1* SFP, 1* GE WAN, 3* GE LAN Port, Default Button, 4* 5dBi Antenna, Gpon APC or UPC

AC1200 Fast Router			
	NC21	Dual Band Router	1200Mbps 11AC, 1* FE WAN, 3* FE LAN Port WPS & Default Button, 4* 5dBi Antenna, Support TR069 & Fota
	N5	Dual Band Router	1200Mbps 11AC, 1* FE WAN, 3* FE LAN Port, USB2.0, WPS & Default Button, 4* 5dBi Antenna, Support TR069 & Fota
	N3D	Dual Band Router	1200Mbps 11AC, 1* FE WAN, 3* FE LAN Port WPS & Default Button, 4* 5dBi Antenna, Support TR069 & Fota
	E3	Dual Band Router	1200Mbps 11AC, 1* FE WAN/LAN Port WPS & Default Button, 2* 5dBi Antenna, Support Fota

N300 Router			
	WF2409E	300Mbps Wireless N Router	300Mbps 11N, 4* FE LAN Port, WPS & Default Button, 3* 5dBi Fixed Antennas
	WF2419E	300Mbps Wireless N Router	300Mbps 11N, 4* FE LAN Port, WPS & Default Button, 2* 5dBi Antennas

150M			
	WF2119C	150Mbps Wireless N USB Adapter	USB 2.0, 150Mbps, Driver Free, 1* 6dBi Antenna
	WF2120 PRO	150Mbps Drive-free WiFi Adapter	IEEE 802.11b/g/n 2.4GHz, 1* 2dBi Internal antenna, USB2.0, Up to 150Mbps, Free drive, Plug and play

300M			
	WF2123	300Mbps Wireless N USB Adapter	USB 2.0, 300Mbps 11N, Driver free, Mini Size

Dual Band			
	WF2160	AC650 Wireless Dual Band USB Adapter	USB 2.0, 200Mbps 2.4GHz or 450Mbps 5GHz, 1* 6dBi Dual Band Antenna, Driver free
	WF2190	AC1200 Wireless Dual Band USB Adapter	USB 3.0, 300Mbps 2.4GHz or 900Mbps 5GHz, 2* 5dBi Dual Band Detachable Antenna, USB Cradle with 1.8m Cable
	WF2190 PRO	AC1200 Wireless Dual Band USB Adapter	USB 3.0, 300Mbps 2.4GHz or 900Mbps 5GHz, 2* 5dBi Dual Band Detachable Antenna, USB Cradle with 1.8m Cable, Driver free

WiFi6 Adapter			
	F1	3000Mbps High Power PCI-E Wireless Adapter	802.11AX technology (WiFi6), PCI-E, Support Bluetooth 5.0, 574Mbps 2.4GHz or 2400Mbps 5GHz, 2* 5dBi Dual Band Detachable Antennas
	F2	5400 Mbps High Power PCI-E WiFi6E Adapter	802.11AX technology, PCI-E, 574Mbps 2.4GHz or 2400Mbps 5GHz or 2400Mbps 6GHz, 2* 5dBi Dual Band Antenna, Support Bluetooth 5.2

Wireless Router


Wireless Adapters

Wireless Router

Photo	Model Name	Description	Main Feature
WiFi6 Router			
	NX62	AX6000 Dual Band Gigabit WiFi6 Router	6000Mbps 11AX, 2* 2.5G WAN, 3* GE LAN Port, USB3.0, WPS & Default Button, 8* 5dBi Antenna Router Mode & Mesh Mode, Support TR069 TR181 TR143 & Fota
	NX30	AX3000 Dual Band Gigabit WiFi6 Router	3000Mbps 11AX, 1* GE WAN, 3* GE LAN Port, WPS & Default Button, 5* 5dBi Antenna Router Mode & Mesh Mode, Support TR069 TR181 TR143 & Fota
	NX31	AX3000 Wireless Dual Band WiFi6 Router	3000Mbps 11AX, 1* GE WAN+3* GE LAN, WPS/MESH, RESET, FOTA, TR069, Remote Access, Backup & Restore, 4* Fixed High-Performance Antennas, WPA3
	N6	AX1800 Dual Band Gigabit WiFi6 Router	1800Mbps 11AX, 1* GE WAN, 3* GE LAN Port WPS & Default Button, 4* 5dBi Antenna Router Mode & Mesh Mode, Based on OpenWRT, Support TR069 & Fota
	NX10	AX1500 Dual Band Gigabit WiFi6 Router	1500Mbps 11AX, 1* GE WAN, 3* GE LAN Port WPS & Default Button, 4* 5dBi Antenna Router Mode & Mesh Mode, Support TR069 & Fota
AC1200 Gigabit Router			
	NC65	Dual Band Gigabit Router	1200Mbps 11AC, 1* GE WAN, 3* GE LAN Port WPS & Default Button, 4* 5dBi Antenna, Support Mesh, TR069 & Fota
	NC63	Dual Band Gigabit Router	1200Mbps 11AC, 1* GE WAN, 3* GE LAN Port WPS & Default Button, 4* 5dBi Antenna, Support Mesh, TR069 & Fota
	NC66	Dual Band Gigabit Router	1200Mbps 11AC, 1* GE WAN, 3* GE LAN Port WPS & Default Button, 4* 5dBi Antenna, Based on OpenWRT, Support Mesh, TR069 & Fota

48V Standard Fast Ethernet POE Switch Series

- Full Power
- Ai Extend
- Port Vlan
- Smart Detection watch dog



5/8 Port Fast Ethernet switch

- Plug and Play
- Wall-mounted Design
- Surge Protection









Photo	Model Name	Main Feature
10/100M FE POE+ FE Uplink		
	P106C	4FE POE and 2 Uplink Ports, 60W Power Supply, 250M wire extending/Watch Dog
	P110C	8FE POE and 2 Uplink Ports, 120W Power Supply, 250M wire extending/Watch Dog
10/100M FE POE+ 2GE Uplink		
	P110GH	8FE POE and 2GE Uplink Ports, 1SFP Port, 120W Power Supply, 250M wire extending/Watch Dog
	P116GH	16FE POE and 2GE Uplink Ports, 1SFP Port, 240W Power Supply, 250M wire extending/Watch Dog
	P124GH	24FE POE and (2GE+2SFP)Combo Ports, 360W Power Supply
10/100/1000M Full Gigabit		
	P106GC	4GE POE+1GE+1SFP Uplink Ports, 60W Power Supply, Both for HD cameras & Wireless Networks, VLAN/Watch Dog
	P107GS	4GE POE and 1GE Uplink Port and 1SFP and 1(SFP/RJ45) Port, 65W Power Supply, Both for HD cameras & Wireless Network, Watch dog, VLAN
	P112GS	8GE POE and 2GE Uplink Port and 2SFP Port, 120W Power Supply, Both for HD cameras & Wireless Network, Watch dog, VLAN
	P110GC	8GE POE and 2GE UpLink Ports, 120W Power Supply, Both for HD cameras & Wireless Networks, VLAN/Watch Dog
	P116GC	16GE POE and 2GE Uplink Ports, 240W Power Supply, Both for HD cameras & Wireless Networks, VLAN/Watch Dog
	P124GC	24GE POE and 2SFP Uplink Ports, 360W Power Supply, Both for HD cameras & Wireless Networks(3~24Ports VLAN)

POE Switch Series

Photo	Model Name	Description	Main Feature
5 Ports			
	ST3105C	5 Port Fast Ethernet Switch	5* 10/100Mbps Port, Green Power, Desktop Design, IEEE 802.3x flow control, Plug and play
	ST3105M	5 Port Fast Ethernet Switch	5* 10/100Mbps Port, Green Power, Desktop Design, IEEE 802.3x flow control, Plug and play, Steel Housing
8 Ports			
	ST3108C	8 Port Fast Ethernet Switch	8* 10/100Mbps Port, Green Power, Desktop Design, Plug and play, IEEE 802.3x flow control
	ST3108M	8 Port Fast Ethernet Switch	8* 10/100Mbps Port, Green Power, Desktop Design, Plug and play, IEEE 802.3x flow control, Steel Housing
16 Ports			
	ST3116P	16 Port Fast Ethernet Switch	16*10/100Mbps Port, Green Power, Desktop Design, Plastic housing
	ST3116S	16 Port Fast Ethernet Switch	16*10/100Mbps Port, Green Power, Desktop/13-inch Steel housing Design
24 Ports			
	ST3124P	24 Port Fast Ethernet Switch	24* 10/100Mbps Port, Green Power, Desktop Design, Plastic housing
	ST3124S	24 Port Fast Ethernet Switch	24* 10/100Mbps Port, Green Power, Desktop/13-inch Steel housing Design
5 Ports			
	ST3105GC	5 Port Gigabit Ethernet Switch	5* 10/100/1000Mbps Port, Green Power, Desktop Design
	ST3105GM	5 Port Gigabit Ethernet Switch	5* 10/100/1000Mbps Prot, Green Power, Desktop Design, Steel Housing

Dumb Switch Series 10/100M



Dumb Switch Series 10/100/1000M

Photo	Model Name	Description	Main Feature
8 Ports			
	ST3108GC	8 Port Gigabit Ethernet Switch	8* 10/100/1000Mbps Port, Green Power, Desktop Design
	ST3108GM	8 Port Gigabit Ethernet Switch	8* 10/100/1000Mbps Prot, Green Power, Desktop Design, Steel Housing
16 Ports			
	ST3116GS	16 Port Gigabit Ethernet Switch	16* 10/100/1000Mbps Port, 13-inch Steel Case, Desktop/Rackmount Design
18 Ports (SFP)			
	ST3118GS-D	18 Port Gigabit Ethernet Switch	16* 10/100/1000Mbps Port, 2SFP Port, 13-inch Steel Case, Desktop/Rackmount Design
24 Ports			
	ST3124GS	24 Port Gigabit Ethernet Switch	24* 10/100/1000Mbps Port, 13-inch Steel Case, Desktop/Rackmount Design
26 Ports (SFP)			
	ST3126GS	26 Port Gigabit Ethernet Switch	24* 10/100/1000Mbps Port, 2SFP Port, 19-inch Steel Case, Rackmount Design

GE + SFP Port












	NIS3006GP-WMC	4+2 Gigabit Ethernet Management Industrial Switch	4* 10/100/1000Mbps Port and 2 SFP Ports, Unibody Aluminum Alloy Housing, -40~85°C Operating Temperature, 6KV Surge Protection, P1+P2 Dual Power Supply, Support Web Management System
	NIS3010GP-WMC	8+2 Gigabit Ethernet Management Industrial Switch	8* 10/100/1000Mbps Port and 2 SFP Ports, Unibody Aluminum Alloy Housing, -40~85°C Operating Temperature, 6KV Surge Protection, P1+P2 Dual Power Supply, Support Web Management System

10/100M




	NIS1005 PRO	5FE Fast Ethernet Industrial Switch	5* 10/100Mbps Port, Unibody Aluminum Alloy Housing, -40~85°C Operating Temperature, 6KV Surge Protection, P1+P2 Dual Power Supply
	NIS1008 PRO	8FE Fast Ethernet Industrial Switch	8* 10/100Mbps Port, Unibody Aluminum Alloy Housing, -40~85°C Operating Temperature, 6KV Surge Protection, P1+P2 Dual Power Supply

10/100/1000M


	NIS3005 PRO	5GE Gigabit Ethernet Industrial Switch	5* 10/100/1000Mbps Port, Unibody Aluminum Alloy Housing, -40~85°C Operating Temperature, 6KV Surge Protection, P1+P2 Dual Power Supply
	NIS3008 PRO	8GE Gigabit Ethernet Industrial Switch	8* 10/100/1000Mbps Port, Unibody Aluminum Alloy Housing, -40~85°C Operating Temperature, 6KV Surge Protection, P1+P2 Dual Power Supply
	NIS3016 PRO	16GE Gigabit Ethernet Industrial Switch	16* 10/100/1000Mbps Port, Unibody Aluminum Alloy Housing, -40~85°C Operating Temperature, 6KV Surge Protection, P1+P2 Dual Power Supply

Photo	Model Name	Description	Main Feature
Manger Switch			
	NMS5712	S5710 SERIES SWITCH	8*10/100/1000M Base-T, 4*1000M Base-X SFP/10GE SFP+, MAC: 16K, Memory: 512MB, Storage: 32MB, Power Consumption: ≤22W
	NMS5754	S5710 SERIES SWITCH	48*10/100/1000M Base-T, 6*1000M Base-X SFP/10GE SFP+, MAC: 32K, Memory: 512MB, Storage: 32MB, Power Consumption: ≤53W
	NMS5728	S5710 SERIES SWITCH	24*10/100/1000M Base-T, 4*1000M Base-X SFP/10GE SFP+, MAC: 16K, Memory: 512MB, Storage: 32MB, Power Consumption: ≤22W
	NMS5728P	S5710 SERIES SWITCH	24*10/100/1000M Base-T POE, 4*1000M Base-X SFP/10GE SFP+, MAC: 16K, Memory: 512MB, Storage: 32MB, Power Consumption: ≤450W
	NMS5728F	S5710 SERIES SWITCH	4*10/100/1000M Combo+20*SFP, 4*1000M Base-X SFP/10GE SFP+, MAC: 16K, Memory: 512MB, Storage: 32MB, Power Consumption: ≤38W
	NMS5730	S5720 SERIES SWITCH	24*10/100/1000M Base-T, 4*1000M Base-X SFP/10GE SFP+, MAC: 32K, Memory: 512MB, Storage: 32MB, Power Consumption: ≤39W
	NMS5730P	S5720 SERIES SWITCH	24*10/100/1000M Base-T POE, 4*1000M Base-X SFP/10GE SFP+, MAC: 32K, Memory: 512MB, Storage: 32MB, Power Consumption: ≤450W
	NMS5754	S5720 SERIES SWITCH	48*100/1000M/2.5G based-T, 4*10GSFP+, 2*40QSFP, MAC: 16K, Memory: RAM 1G, Storage: Flash 128M, Power Consumption: ≤125W
	NMS5826	S5863 SERIES SWITCH	24*1000M Base-X SFP/10GE SFP+, 2*40G QSFP/2*100G QSFP28, MAC: 16K, Memory: RAM 1G, Storage: Flash 8G, Power Consumption: ≤125W
	NMS6854	S6862 SERIES SWITCH	48*10G SFP+, 2*40G QSFP, 4*100G QSFP28, 1+1 modular redundant power supply, two pluggable Fans, MAC: 128K, Memory: 1Gmb DDR2 memory, Storage: 32MB Flash memory, Power Consumption: ≤180W
	NMS6856	S6865 SERIES SWITCH	48*25G SFP+, 8*100G QSFP28, 1+1 modular redundant power supply, two pluggable Fans, MAC: 128K, Memory: 1Gmb DDR2 memory, Storage: 32MB Flash memory, Power Consumption: <180W

PON

Photo	Model Name	Description	Main Feature
PON			
	GP2101	Single Port GPON ONT	1* 2.5G Pon, 1* GE LAN Port, Power & Default, Button, Support TR069 & Fota, Gpon APC or UPC
	GP2201	AC1200 Dual Band Gigabit WiFi5 GPON	1200Mbps 11AC, 1* 2.5G Pon, 4* GE LAN Port, 1* FXS, Power & WPS (MESH) & Reset Button, Support TR069, Gpon APC or UPC
	GP3001	AX3000 Dual Band Gigabit WiFi6 GPON	3000Mbps 11AX, 1* 2.5G Pon, 4* GE LAN Port, 2* FXS, USB3.0, Power & Default Button, Support TR069 & Fota, Gpon APC or UPC

OLT

Photo	Model Name	Description	Main Feature
OLT			
	NOE5804	EPON OLT SERIES	4* GE PON Port, 4* 10/100/1000M Base-T, 4* 1000M Base-X SFP/4*10GE SFP+, Exchange Capacity: 96Gbps, Packet Forwarding Rate: 71.424Mpps, Memory: 512MB, Storage: 32MB, Management Port: Console, Fans: Fixed Fans (2 Fans)
	NOE5808	EPON OLT SERIES	8* GE PON Port, 4* 10/100/1000M Base-T, 4* 1000M Base-X SFP/4* 10GE SFP+, Exchange Capacity: 104Gbps, Packet Forwarding Rate: 71.424Mpps, Memory: 512MB, Storage: 32MB, Management Port: Console, Type C, Fans: Fixed Fans (3 Fans)
	NOG5804	GPON OLT SERIES	4*GPON Port, 4*10/100/1000MBase-T, 4*1000M Base-XSFP/4*10GE SFP+, Exchange Capacity: 103Gbps, Packet Forwarding Rate: 76.632Mpps, Memory: 7168MB, Storage: 2048MB, Management Port: Console, Type C, Fans: Fixed Fans (3 Fans)
	NOG5808	GPON OLT SERIES	8*GPON Port, 4*10/100/1000MBase-T, 4*1000MBase-XSFP/4*10GE SFP+, Exchange Capacity: 118Gbps, Packet Forwarding Rate: 87.792Mpps, Memory: 7168MB, Storage: 2048MB, Management Port: Console, Type C, Fans: Fixed Fans (3 Fans)
	NOG5816	GPON OLT SERIES	16*GPON Port, 8*10/100/1000MBase-T, 4*1000MBase-XSFP/4*10GE SFP+, Exchange Capacity: 156Gbps, Packet Forwarding Rate: 116.064Mpps, Memory: 7168MB Storage: 2048MB, Management Port: Console, Type C, Fans: Fixed Fans (4 Fans)
	NOG5808OD	GPON OLT-OUTDOOR	8*GPON Port, 1*10/100/1000M Base-T, 4*1000M Base-X SFP/4*10GE SFP+, Exchange Capacity: 112Gbps, Packet Forwarding Rate: 83.328Mpps, Memory: 7168MB, Storage: 2048MB, Management Port: Console, MGMT
	NOX5808	XG(S)-PON Combo OLT	8* XG(S)-PON/GPON port, 8* 10GE/GE SFP + 2* 100G QSFP28, Exchange Capacity: 720Gbps, Packet Forwarding Rate: 535.68Mpps, Memory: 2G, Storage: 8G, Management Port: Console, Fans: Pluggable Fans (3 Fans)






4G LTE Wireless Router

MW5360


-  3G/4G SIM Card
-  4G Antenna + WiFi Antenna
-  SIM Card or WAN Access Available
-  Transform 4G Signal to Wireless



4G/5G LTE

Photo	Model Name	Description	Main Feature
4G/5G LTE			
	MW6720BE 	BE7200 Dual Band Wireless 5G CPE	5G Peak Throughput: DL: 7Gbps / UL: 1.25Gbps, 802.11a/b/g/n/ac/ax/be, 2.4G: 1377Mbps, 5G: 5765Mbps, 9 Built-in wifi antenna, MIMO 4*4, SIM card, 1* 5Gbps+ 3* 1Gbps LAN, IPV4/IPV6,WPS, Plug & Play, Support TR069
	MW6300AX	AX3000 Dual Band Wireless 5G CPE	5G Peak Throughput: DL: 4.7Gbps / UL: 1.25Gbps, 802.11b/g/n/ac/ax, 2.4G: 574Mbps, 5G: 2400Mbps, 2* 2.5G port, NANO SIM card, TR069, IPV4/IPV6,WPS, Support VoNR/VoLTE/VoIP voice communication
	MW5360	300Mbps Wireless 4G LTE Router	300Mbps 11N, Slot for 3G/4G SIM Card, Plug & Play 2* 5dBi 4G Detachable Antennas, 2* 5dBi WiFi Antennas, Support cat6 & Fota
	MW5300	300Mbps Wireless 4G LTE Router	300Mbps 11N, Slot for 3G/4G SIM Card, Plug & Play 2* 5dBi 4G Antennas, 2* 5dBi WiFi Antennas, Support cat6 & Fota

DSL

Photo	Model Name	Description	Main Feature
DSL			
	DL4323	300Mbps Wireless N ADSL	300Mbps 11N, 1* ADSL Port, 4* FE LAN Port Power & Default Button, 2* 5dBi Antenna, Support TR069

Wireless Bridge

Photo	Model Name	Description	Main Feature
Wireless Bridge			
	NB50	Enterprise Outdoor Digital Bridge	1FE LAN+1FE POE port, IP65 Outdoor protection level, 1* 14dBi Internal Antenna, 3KM wireless long-range transmission

AC1200

Gigabit Enterprise WiFi Router

NBW1200

- 5*Gigabit Port
- 1-4 WAN/LAN Port
- Easy-Mesh
- AP Management



ENTERPRISE

SMB Product

Photo	Model Name	Description	Main Feature
SMB POE Router			
	NR105GPE	5-Port Gigabit Enterprise-Class POE Router	1* GE WAN Port+4* GE LAN(support POE), 1-4 WAN/LAN port, Machine Power 60W, Recommended Client: 50, Manage AP: 20, PPPoE Server, Multi-IP Network, DHCP Server, QOS, APP Management, DHCP client, Static IP, MAC cloning
	NR109GPE	9-Port Gigabit Enterprise-Class POE Router	1* GE WAN Port+8* GE LAN(support POE), 1-4 WAN/LAN port, Machine Power 120W, Recommended Client: 100, Manage AP: 50, PPPoE Server, Multi-IP Network, DHCP Server, QOS, APP Management, DHCP client, Static IP, MAC cloning
Web Smart POE Switch			
	NC2310GPM	Full Gigabit Cloud-manmaged POE Switch	2*GE RJ45 Port+8*GE POE LAN Port, 20G backplane bandwidth, 8K MAC address table Size, 130W external power supply, IEEE 802.3af/at standard protocol, Port isolation setting, Port POE switch, Firmware upgrade,etc. See the BeeWiFi APP
	NC2318GPM	Full Gigabit Cloud-manmaged POE Switch(2 combo)	2*Combo(GE+SFP) Port+16*GE POE LAN Port, 36G backplane bandwidth, 8K MAC address table size, Built-in 240W power supply, IEEE 802.3af/at standard protocol, Port isolation setting, Port POE switch, Firmware upgrade,etc. See the BeeWiFi APP
	NC2326GPM	Full Gigabit Cloud-manmaged POE Switch(2 combo)	2*Combo(GE+SFP) Port+24*GE POE LAN Port, 52G backplane bandwidth, 8K MAC address table size, Built-in 360W power supply, IEEE 802.3af/at standard protocol, Port isolation setting, Port POE switch, Firmware upgrade,etc. See the BeeWiFi APP

Photo	Model Name	Description	Main Feature
-------	------------	-------------	--------------


SMB WiFi Router			
	NBW1200	AC1200 5-Port Gigabit Wireless Enterprise Router	1200Mbps 11AC, 5* Gigabit RJ45 Port, 6* 7dBi High Gain Antennas, 4 WAN/4 LAN Cable Connection, Easy Setup with APP, Easy Mesh, PPPoE dial-up, DHCP client, Static IP, MAC cloning
	NBW1209	AC1200 9-Port Gigabit Wireless Enterprise Router	1200Mbps 11AC, 9* Gigabit RJ45 Port, 6* 7dBi High Gain Antennas, 4 WAN/8 LAN Cable Connection, Easy Setup with APP, PPPoE dial-up, DHCP client, Static IP, MAC cloning
	NBW1800AX	AX1800 5-Port Gigabit Wireless WiFi6 Enterprise Router	1800Mbps 11AX, WiFi6, 5*Gigabit RJ45 Port, 6* 7dBi High Gain Antennas, 4 WAN/4 LAN Cable Connection, Easy Setup with APP, Easy Mesh, PPPoE dial-up, DHCP client, Static IP, MAC cloning

AP			
	EAP912	AC1200 Wireless Gigabit Ceiling Mount Access Point	1200Mbps 11AC, 1* GE WAN+1* GE LAN(POE power supply), 4* built-in high gain antenna, 128MB Memory, With a maximum of 80 clients, AP management, Default Button, Ceiling / Wall Mounting
	EAP930	AX3000 Wireless Gigabit Ceiling Mount Access Point	3000Mbps 11AX,WiFi6, 1* GE WAN+1* GE LAN(POE power supply), 5* built-in high gain antenna, 256MB Memory, 128MB Flash, With a maximum of 256 clients, AP management, Ceiling / Wall Mounting
	EAP812	AC1200 Wireless Gigabit Panel Access Point	1200Mbps 11AC, 1* GE WAN+1* GE LAN(POE power supply), 4* built-in high gain antenna, 128MB Memory, stable standby 80 units, AP management, Default Button, Support SSID hiding
	EAP830	AX3000 Wireless Gigabit WiFi6 Panel Access Point	3000Mbps 11AX, WiFi6, 1* GE WAN+1* GE LAN(POE power supply), 4* built-in high gain antenna, 128MB Memory, Stable standby 256 units, AP management, Default Button, Support SSID hiding

SMB Router			
	NR100G	5-Port Gigabit Multi-WAN Port Internet Behavior Management Enterprise Router	5*Gigabit RJ45 Port, 1-4 variable WAN ports, Load balancing, AP management, Recommended Client: 200, Manage AP: 100, PPPoE Server, Multi-IP Network, DHCP Server,QOS, APP Management, DHCP client, Static IP, MAC cloning
	NR200G	5-Port Gigabit Multi-WAN Port Internet Behavior Management Enterprise Router	5* Gigabit RJ45 Port, 1-4 variable WAN ports, Load balancing, AP management, Recommended Client: 400, Manage AP: 200, PPPoE Server, Multi-IP Network, DHCP Server, QOS, APP Management, DHCP client, Static IP, MAC cloning
	NR1000G	2.5Gpbs Enterprise Multi-WAN Port Internet Behavior Management Enterprise Router	1*2.5G WAN+1*2.5G WAN/LAN+2*GE WAN/LAN+1*GE LAN, 1*USB 3.0, Reset button, 512MB memory, 128MB flash, AC management, BeeWiFi APP management, PPPoE Server, Multi-IP Network, DHCP Server, QOS, DHCP client, Static IP, MAC cloning

Enterprise Wireless Networking Solution

Gigabit access, 2.5G uplink, optical fiber convergence, monitoring wireless hybrid networking.




- Higher specifications: AX3000, uplink 2.5G port, 2.5G gateway
- Larger capacity: up to 120 units can be effectively carried by a single AP
- Smarter roaming: solving the problem of sticky terminals
- More convenient cloud management: whole network topology, device abnormal alarms, etc

Normal Network Cable
POE Power Line

Whole House Wi-Fi Coverage Solution

Villa/large unit/high-end home networking set.

NR105GPE is an enterprise level router that supports POE power supply. It can directly power the AP through network cables without the need for separate POE switches, saving overall networking costs and making it simple and easy to use.



SMB Product