


Mini Visual Fault Locator



Compact



2.5mm universal



USB Charging



LED light




Products Characters

- ◆ Pocket size design,mini and compact
- ◆ Strong and stable light source, strong penetrating power
- ◆ Rubber dustproof cover
- ◆ Be equipped with LED light,more convenient to work in
- ◆ Testing distance is up to 30km,high stability
- ◆ the dark
- ◆ 2.5mm universal connector,suitable for SC/ST/FC
- ◆ Built-in lithium battery,safe to use USB charging, convenient usage
- ◆ connector




LED light

More convenient to check the fibers in the dark



USB charging

USB interface charging, charging at any time, Safe and stable, use at ease



Concealed button

Concealed button to prevent accidental touch




Back clip design

Convenient to carry



Testing distance is up to 30km



Strong stability

2.5mm universal connector



Products specification

Model	BG-VFL-10	BG-VFL-20	BG-VFL-30
Power range	10mW	20mW	30mW
Testing distance	8–10km	15–20km	25–30km
Working time	Battery type	5H	4H
	Charging type	10H	8H
Wavelength	650nm		
Laser type	LD		
Frequency	CW / 2Hz		
Working temperature	–20 ~ +60 (°C)		
LED light	Yes		
Power supply	AAA 1.5V battery X2	/	Lithium battery 1000mAh
Charging port	USB charging(only for charging type)		
Dimension	127 x 36.5 x 28 (mm)		
Weight	61 g (with battery)		



Products display

