



MONDO PLAST

telecommunication equipments • cables & networking • multimedia




Patch Panel
Lan Cable & Patch Cord
Keystone Jack
Faceplate
Tools & Cable Testers
Network Accessories
Telecom System



Cat.5e&Cat.6 Patch Panel

Specifications:

- 19" x1.75" (1U)/3.5" (2U)/5.25" (3U)/7" (4U)
- 12/16/24/32/48/72/96 ports available
- Meet ANSI/TIA/EIA 568A, ISO/IEC11801&EN50173
- Jack: RJ45 8P8C Gold Plating over Nickel
- IDC: 110/Krone/110&Krone Dual Use IDC
- Support T568A &T568B wiring guidelines
- Ground wire: 22AWG with Terminal 450mm (Only for Shielded Patch Panel)




Order Model Description

- C5U8CBD24 UTP Cat.5e Patch Panel, 24 Port, Colorful Bezel ,Krone & 110 Dual IDC
 C5U8BBK24 UTP Cat.5e Patch Panel, 24 Port, Krone IDC
 C5U8BBH24 UTP Cat.5e Patch Panel, 24 Port, 110 IDC
 C5U8BBD24 UTP Cat.5e Patch Panel, 24 Port, Krone&110 Dual Use IDC
 C5U845D24 UTP Cat.5e Patch Panel, 24 Port, 45 degree, Krone & 110 Dual Use IDC
 C5U8BBD48 UTP Cat.5e Patch Panel, 48 Port, Krone&110 Dual Use IDC



Order Model Description

- C5U8WMK12 UTP Cat.5e Patch Panel, 12 Port, Wall-Mounted type, Krone IDC
 C5U8LLH12 UTP Cat.5e Patch Panel, 12 port, 10"



Order Model Description


- C5S800K24 FTP Cat.5e Patch Panel, 24 Port, Krone IDC Black color body
 C5S800K24GY FTP Cat.5e Patch Panel, 24 Port, Krone IDC Grey color body



Order Model Description

- C6U8LMH24 UTP Cat.6 Patch Panel,24 Port, 110 IDC
 C6U8LMH24BR UTP Cat.6 Patch Panel,24 Port, 110 IDC, with Back Bar
 C6S8LLK12 FTP Cat.6 Patch Panel,24 Port, Krone IDC
 C6S800K24 FTP Cat.6 Patch Panel, 24 Port, Krone IDC Black color body

Insert Module (Blank) Patch Panels



Order Model Description

- BPU8WB016 UTP Blank Patch Panel, 16 Port
 BPU8WB032 UTP Blank Patch Panel, 32 Port
 BPU8LM024 UTP Blank Patch Panel, 24 Port
 BPU8LM024PB Blank Patch Panel (Keystone type) with cable support, fit for C5U7KT9DNWH
 BPU8LM048 UTP Blank Patch Panel, 48 Port

ISDN Patch Panel



Order Model Description

- C3U888K25 UTP Telephone Panel, 25 Port,Krone IDC
 C3U888K50 UTP Telephone Panel, 50 Port,Krone IDC

Cable Management



Order Model	Description
ADTCM01	Cable Management, Metal D-rings
ADTCM02	Cable Management, Metal
ADTCM03	Cable Management, Metal
ADTCM04	Cable Management, Metal
ADTCM05	Cable Management, Plastic

Cat.6/Cat.5e Twisted Pair Lan Cable

Specifications


LAN cables are suitable for perfect audio, data & video of transfer for local area network.

Features:

- Standard combustion-resisting PVC or low-smoke halogen-free cable structure
- Support Ethernet, quick Ethernet, ATM etc. and audio, data and multi-media applications
- The transmitting performance is higher than the international standard
- Various Color and length at option



LC5FS24GY



LC5US24GY



LC6US23GY


LC XXXXX

- 5 : Cat 5e
- 6 : Cat.6
- U : UTP
- S : STP
- F : FTP
- Cable type
- T : Stranded
- S : Solid
- 24: 24AWG
- 23: 23AWG
- 26: 26AWG
- BL : Black
- WH: White
- RD: Red
- GN: Green
- BL : Blue
- YL : Yellow
- GY: Grey
- IV : Ivory
- OR: Orange

Patch Cord

- Cat.5e and Cat.6 patch cords are used to connect all the hardware destinations on a Local Area Network (LAN).
- The patch cords are produced to meet TIA/EIA 568 standards.
- The RJ45 Molded Cat.5e Patch cord is perfect for use with 10/100 Base-T networks.
- It comes complete with RJ45 male-to-male connectors and snag-less molded strain relief.

Boot Types



PC5UMD02GY
UTP Cat.5e Patch cord 2.0m Grey



Keystone Jack

Specification

- Meet ANSI/TIA/EIA-568A/B, ISO/IEC11801&EN50173
- Support 568A/B wiring guidelines
- 110/Krone type IDC accept 22-26 AWG solid wire
- IDC terminations with strain-relief cap
- Available in 5 different colors



Order Model

Description

- | | |
|-------------|--|
| C5U7B9HNWH | UTP Cat.5e Keystone Jack ,white |
| C5U7KA9DNWH | UTP Cat.5e Keystone Jack ,white |
| C5U7KT9DNWH | UTP Cat.5e Keystone Jack ,white, Slim, fit for BPU8LM024PB |
| C5U7A9HNBK | UTP Cat.5e Keystone Jack ,black |



Order Model

Description

- | | |
|------------|---|
| C5U7A1HNWH | UTP Cat.5e Keystone Jack ,white, 180 degree |
| C5U7A9HTWH | UTP Cat.5e Keystone Jack Tooless, white |
| C5U7F9HTWH | UTP Cat.5e Keystone Jack Tooless, white |
| C5U7P90TWH | UTP Cat.5e Keystone Jack Tooless, white |



Order Model

Description

- | | |
|------------|---|
| C5S7A9HNWH | FTP Cat.5e Keystone Jack |
| C5H7A1HNBK | Half-Shielded Cat.5e Keystone Jack, black, 180 degree |
| C5U7L9HNBL | FTP Cat.5e Keystone Jack, 90 degree |
| C5S7L1HNBL | FTP Cat.5e Keystone Jack, 180 degree |

Cat.6 Series Keystone Jack



Order Model

Description

- | | |
|-------------|--|
| C6U7KA1KNWH | UTP Cat.6 Keystone Jack ,white, 180 degree |
| C6U7B9HNWH | UTP Cat.6 Keystone Jack, white |
| C6U7F9HTWH | UTP Cat.6 Keystone Jack Toolless, white |
| C6S7A1HNWH | FTP Cat.6 Keystone Jack , 180 degree |
| C6S7A9HNBK | FTP Cat.6 Keystone Jack , 90 degree |

Cat.3 Telephone Jack



Order Model

Description

- | | |
|-------------|--|
| C3U7B64NWH | UTP Telephone Jack 6P4C |
| C3U7KA64NWH | UTP Telephone Jack 6P4C |
| C3U7F66TWH | UTP Telephone Jack 6P6C Tooless |
| C3U7F64TWH | UTP Telephone Jack 6P4C Tooless |
| C3U7V64NBG | UTP Telephone Jack 6P4C, AV installation |
| C3U7A64NBG | UTP Telephone Jack 6P4C AMP installation |

In-line Coupler



- | | |
|-------------|--|
| C5U6RJ45BK | UTP Cat.5e In-Line Coupler RJ45-RJ45, Keystone Style |
| C5U6RJ45BK2 | UTP Cat.5e In-Line Coupler RJ45-RJ45, Block Style |
| C5S6RJ45AR | Shielded Cat.5e In-Line Coupler RJ45-RJ45, Block Style |

Faceplate

Specification

- ▶ Designed for Keystone Jack, Blank Insert , BNC Coupler, F Connector
- Size: 86x86 / 70x115/146x86/80x80/45x45 mm
- ▶ Color: White, Ivory, customized by clients
- ▶ Plastic: ABS 94-V-0



Order Model	Description
F12UC1PWH	Faceplate, USA type, 1Port, with Icon
F12UC2PWH	Faceplate, USA type, 2Port, with Icon
F12UC3PWH	Faceplate, USA type, 3Port, with Icon
F12UC4PWH	Faceplate, USA type, 4Port, with Icon
F12BB01	Back Box for USA faceplate



Order Model	Description
F12UA1PWH	Faceplate, USA type, 1 Port
F12UA2PWH	Faceplate, USA type, 2 Port
F86SA1PWH	Faceplate 86 type with Shutter, One Port
F86SA2PWH	Faceplate 86 type with Shutter, Two Port
F86BB01	Back Box for 86 faceplate



Order Model	Description
F14UA4PWH	Faceplate, UK Type 146x86mm, 4 Port Angeled
F14UB4PWH	Faceplate, UK Type 146x86mm, 4 Port
F14UA2PWH	Faceplate, UK Type 86x86mm, 2 Port Angeled
F14UB2PWH	Faceplate, UK Type 86x86mm, 2 Port
F14UB1PWH	Faceplate, UK Type 86x86mm, 1 Port
C5U7K1KWH	UTP Cat5e Module UK type

Mounting Boxes



Order Model	Description
MB01AWH	Mounting Box, 1 Port, Keystone Jack Optional
MB02AWH	Mounting Box, 2 Port, Keystone Jack Optional
MB01UBWH	Mounting Box, 1 port, installed with 1 UTP Cat.5e PCB Module
MB02UBWH	Mounting Box, 2 port, installed with 2 UTP Cat.5e PCB Modules
MB01SBWH	Mounting Box, 1 port, installed with 1 STP Cat.5e PCB Module
MB02SBWH	Mounting Box, 2 port, installed with 2 STP Cat.5e PCB Modules


Network Tools & Cable Tester




110 System & Network Accessories

110 Wiring Blocks


- AT&T equivalent design.
- Removable surface mounting legs.
- Fire retardant molded plastic block with horizontal index strip.



Order Model	Description
ADTWB50L	110 Wiring Block 50 pairs, with legs
ADTWB100L	110 Wiring Block 100 pairs, with legs
ADTWB100	110 Wiring Block 100 pairs, without legs
ADTWB50	110 Wiring Block 50 pairs, without legs
ADTWB100M	110 Wiring Block, 100 pairs, 19" Mounted
ADTWB200M	110 Wiring Block, 200 pairs, 19" Mounted



Order Model	Description
ADTCM06	Horizontal Cable Manager w/o legs
ADTCM07	Horizontal Cable Manager with legs
ADTCM08	Horizontal Cable Manager with legs, 19" Mounted



Order Model	Description
ADT110PG01	110 Patch Plug, 1 Pair
ADT110PG02	110 Patch Plug, 2 Pairs
ADT110PG04	110 Patch Plug, 4 Pairs
ADTCN04P	Connecting Blocks, 4 Pairs
ADTCN05P	Connecting Blocks, 5 Pairs

Modular Plug



Order Model	Description
ADTMP4P4C	Modular Plug 4P4C
ADTMP6P4C	Modular Plug 6P4C
ADTMP6P6C	Modular Plug 6P6C



Order Model	Description
ADTMP5EU8P8C	Modular Plug Cat.5e 8P8C, Unshielded
ADTMP5ES8P8C	Modular Plug Cat.5e 8P8C, Shielded



Order Model	Description
ADTMP6U8P8C	Modular Plug Cat.6 8P8C, Unshielded
ADTMP6S8P8C	Modular Plug Cat.6 8P8C, Shielded



Order Model	Description
ADTCBRD	Cable boots Red Color
ADTCBWH	Cable boots White Color
ADTCBGN	Cable boots Green Color
ADTCBGY	Cable boots Grey Color
ADTCBBL	Cable boots Blue Color
ADTCBYL	Cable boots Yellow Color
ADTCBBK	Cable boots Black Color

Telecom System

LSA Series Modules



Order Model

ADT10PMD
ADT10PMC
ADT10PMP
ADT08PMD
ADT08PMC
ADT10EMC

Description

10Pair LSA disconnection module
10Pair LSA connection module
10Pair LSA profile disconnection module
8Pair LSA disconnection module
8Pair LSA connection module
10 Pair connection earth module

Magazines



Order Model

ADTME10P2P
ADTME10P3P

Description

10 Pair Magazine for 2 Pole , without arresters
10 Pair Magazine for 3 Pole , without arresters

Distribution Boxes

Indoor use



Order Model

ADTDB30DK
ADTDB30IN
ADTDB50IN
ADTDB100IN

Description

30 Pair distribution box, desk top type
30 pair distribution box, indoor use
50 pair distribution box, indoor use
100 pair distribution box, indoor use

Outdoor use



Order Model

ADTDB30UT
ADTDB50UT
ADTDB100UT

Description

30 pair distribution box, outdoor use
50 pair distribution box, outdoor use
100 pair distribution box, outdoor use

Mounting Frame



Order Model

ADTMF01W
ADTMF02W
ADTMF03W
ADTMF11WJ
ADTMF27WJ

Description

Back Mounting Frame, 1Way
Back Mounting Frame, 2Way
Back Mounting Frame, 3Way
Jumper Back Mount Frame, 11Way
Jumper Back Mount Frame, 27Way

Tester Cords



Order Model

ADTTC02P
ADTTC04P
ADTTC04P5E
ADTTC02PA
ADTTC04PA

Description

Test Cord, 2 pole
Test Cord, 4 pole
Test Cord Cat.5e 4 Pole
2 Pole test cord with alligator plug
4 Pole test cord with alligator plug



Order Model

ADT01LM
ADT08LM
ADT01LF
ADT01LFA
ADT01LFB
ADTEB10
ADTDP01

Description

Label Holder for 10 pair module
Label Holder for 8 pair module
Label Holder for Frame
Number Flag for 1-0
Number Flag for 10-100
Earth Bar for 10 pair module
Disconnection Plug, 1 pair



Order Model

ADTPR18B
ADTPR18C
ADTGA03P01
ADTGA03P02
ADTGA02P01

Description

Protective Unit
Protective Unit
3 Electrode Gas discharge tube
3 Electrode Gas discharge tube
2 Electrode Gas discharge tube



Order Model

ADTWCUY
ADTWCUY2
ADTWCUR
ADTWCU1B

Description

UY Wire connector
UY2 Wire connector
UR Wire connector
U1B Wire connector

Cat.6 Channel Test Configuration

